

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5586117").PN.	USPAT; USOCR	OR	OFF	2006/08/10 14:55
L2	1	("6944674").PN.	USPAT; USOCR	OR	OFF	2006/08/10 14:56
L3	1	("6928483").PN.	USPAT; USOCR	OR	OFF	2006/08/10 14:56
L4	59747	"709"/\$.ccls. configu\$5 .ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:58
L5	67	"709"/220.ccls. and configu\$5 .ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:58
L6	34	"709"/220.ccls. and configu\$5 .ti. and format\$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:30
L7	3	"709"/220.ccls. and configu\$5 .ti. and (translat\$4 with format\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:31
L8	3	"709"/220.ccls. and configu\$5 .ab. and (translat\$4 with format\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:32
L9	10	"709"/227.ccls. and configu\$5 .ab. and (translat\$4 with format\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:41
L10	32	"709"/220.ccls. and (translat\$4 with format\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:42

EAST Search History

L11	22	"709"/220.ccls. and (translat\$4 near4 format\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:48
L12	1	("6546419").PN.	USPAT; USOCR	OR	OFF	2006/08/10 16:06
L13	1	("6101531").PN.	USPAT; USOCR	OR	OFF	2006/08/10 16:20
L14	37946692	709/220.ccls. and convert\$5 with format\$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:22
L15	64	709/220.ccls. and convert\$5 with format\$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:22
S1	1	("6023684").PN.	USPAT; USOCR	OR	OFF	2005/11/21 10:07
S2	1	("6029147").PN.	USPAT; USOCR	OR	OFF	2005/11/21 10:09
S3	1	("6,122,632").PN.	USPAT; USOCR	OR	OFF	2005/11/21 11:05
S4	0	"709"/\$.ccls. and (guarantee and delivery).ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:07
S5	2	"709"/\$.ccls. and (guarant\$3 and delivery).ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:57
S6	26	(guarant\$3 and delivery).ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:16

EAST Search History

S7	483	(guarant\$3 and delivery).ab. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:16
S8	16	(guarant\$3 and (electronic with delivery)).ab. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:24
S9	0	("20040153511").PN.	USPAT; USOCR	OR	OFF	2005/11/21 14:25
S10	1	("20040153511").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:38
S11	0	("200200498915").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:38
S12	1	("20020049815").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:41
S13	1	("20020059365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:48
S14	0	"709"/.ccls. and ((deliver\$3 with guarante\$3) same profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:50
S15	0	"709"/.ccls. and ((deliver\$3 with guarantee) same profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:50
S16	0	"709"/.ccls. and ((deliver\$3 with guarant\$3) same profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:51
S17	0	"709"/.ccls. and ((deliver\$3 same guarant\$3) same profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:51

EAST Search History

S18	8	"709"/.cccls. and ((deliver\$3 and guarant\$3) same profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:58
S19	144	"709"/.cccls. and ((deliver\$3 with profile\$3)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:58
S20	32	"709"/.cccls. and ((deliver\$3 with profile\$3)) and guarant\$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:02
S21	2625	((deliver\$3 with guarant\$3)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:02
S22	1340	((deliver\$3 near2 guarant\$3)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:02
S23	9	((deliver\$3 near2 guarant\$3)) and (delivery near1 profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:04
S24	13	((deliver\$3 near4 guarant\$3)) and (delivery near1 profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:06
S25	317	((deliver\$3 near4 guarant\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:06

EAST Search History

S26	229	((deliver\$3 near2 guarant\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:07
S27	81	"709"/\$.ccls. and((deliver\$3 near2 guarant\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:23
S28	28	"709"/\$.ccls. and((deliver\$3 near2 profile\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27
S29	0	"709"/\$.ccls. and((proxy with delivery near2 profile\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27
S30	0	((proxy with delivery near2 profile\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27
S31	0	((proxy with transmi\$5 near2 profile\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:28
S32	2	((proxy with delivery\$5 with profile\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:29
S33	0	((proxy with delivery\$5 with policy\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:29

EAST Search History

S34	30	((delivery\$5 with policy\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:30
S35	14	((delivery\$5 near2 policy\$3)) and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:31
S36	6	((delivery\$5 near2 policy\$3)) and guarant\$5 and (profile\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:34
S37	416	((receiv\$3 with guarant\$3) and (profile\$1) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:35
S38	78	"709"/\$.cls. and ((receiv\$3 with guarant\$3) and (profile\$1) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:35
S39	26	"709"/\$.cls. and ((receiv\$3 with guarant\$3) and (host with (profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:33
S40	46	((receiv\$3 with guarant\$3) and (host with (profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:34
S41	437	((deliver\$3 with guarant\$3) and ((profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:34

EAST Search History

S42	129	"709"/\$.cccls. and ((deliver\$3 with guarant\$3) and ((profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:35
S43	0	"709"/\$.cccls. and ((deliver\$3 with guarant\$3).ti. and ((profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:35
S44	3	"709"/\$.cccls. and ((deliver\$3 with guarant\$3).ab. and ((profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:36
S45	4	"709"/\$.cccls. and ((deliver\$3 and guarant\$3).ab. and ((profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:37
S46	380	"709"/\$.cccls. and ((deliver\$3 and guarant\$3) and ((profile\$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:37
S47	50	"709"/\$.cccls. and ((deliver\$3 and guarant\$3) and ((profile\$1)) and (request near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:39
S48	26	"709"/\$.cccls. and ((deliver\$3 same guarant\$3) and ((profile\$1)) and (request near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:17
S49	0	"709"/\$.cccls. and ((deliver\$3 same guarant\$3) and (request near1 reply) and (send near2 forget near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:18

EAST Search History

S50	0	"709"/\$.ccls. and ((deliver\$3 same guarant\$3) and (request near1 reply) and (send near2 forget near1 message) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:18
S51	0	"709"/\$.ccls. and ((deliver\$3 same guarant\$3) and (request near1 reply) and (non near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:19
S52	0	"709"/\$.ccls. and ((deliver\$3 same guarant\$3) and (request near1 reply) and (non near1 request near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:19
S53	0	"709"/\$.ccls. and (request near1 reply) and (non near1 request near1 reply) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:20
S54	4	"709"/\$.ccls. and send near1 forget near1 message and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:25
S55	3	"709"/\$.ccls. and (forget near1 message\$1) and (reply near1 message\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:25
S56	1	("6,917,979").PN.	USPAT; USOCR	OR	OFF	2005/11/22 09:23
S57	3	wide near1 area near1 client-server and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:20
S58	1	("6397352").PN.	USPAT; USOCR	OR	OFF	2005/11/22 09:23
S59	1	("6205482").PN.	USPAT; USOCR	OR	OFF	2005/11/22 09:24

EAST Search History

S60	1	("20010032263").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 09:24
S61	10	"709"/\$.ccls. and ((message\$1 near4 deliver\$3) with WAN\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:27
S62	8	"709"/\$.ccls. and ((message\$1 with deliver\$3) with WAN) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:46
S63	14	"709"/\$.ccls. and (transmi\$5 near1 message\$1 with profile\$1)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:48
S64	1	"709"/\$.ccls. and (transmi\$5 near1 message\$1 with associat\$3 with profile\$1)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:49
S65	5	"709"/\$.ccls. and (send\$5 near1 message\$1 with associat\$3 with profile\$1)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:54
S66	0	"709"/\$.ccls. and (message\$1 with associat\$3 with (transmit\$3 near2 profile\$1))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:54
S67	5	"709"/\$.ccls. and (message\$1 with (transmit\$3 near2 profile\$1))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:57
S68	2	"709"/\$.ccls. and (message\$1 with (transmit\$3 near2 policy\$1))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:06

EAST Search History

S69	1	"709"/\$.ccls. and (message\$1 with (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:08
S70	1	"709"/\$.ccls. and (message\$1 same (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:08
S71	1	"709"/\$.ccls. and (deliver\$3 same (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:08
S72	11	(deliver\$3 same (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S73	1185	(transmission near2 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S74	0	email\$1 with(transmission near2 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S75	1	email\$1 with(transmission near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:34
S76	967	user with(service\$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35

EAST Search History

S77	967	user\$1 with (service\$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35
S78	244	"709"/\$.cccls. and user\$1 with (service\$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35
S79	0	"709"/\$.cccls. and user\$1 with associat43 with (service\$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35
S80	21	"709"/\$.cccls. and user\$1 with associat\$3 with (service\$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 12:30
S81	1	("6205,482").PN.	USPAT; USOCR	OR	OFF	2005/11/22 14:25
S82	2	((forget near1 message\$1) with (reply near1 message\$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:27
S83	2	((forget near2 message\$1) with (reply near2 message\$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:27
S84	2	((forget near2 message\$1) same (reply near2 message\$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:27
S85	3	((forget near4 message\$1) same (reply near2 message\$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:29

EAST Search History

S86	37	(forget near1 message\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:06
S87	404	(replay near1 message\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:06
S88	4199	(reply near1 message\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:07
S89	812	"709"/\$.cccls. and (reply near1 message\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:07
S90	114	((reply near1 message\$1) with acknowledge\$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:22
S91	1	("6493726").PN.	USPAT; USOCR	OR	OFF	2005/11/22 15:25
S92	1	("6804333").PN.	USPAT; USOCR	OR	OFF	2005/11/22 15:25